



Sanders

| Performance | Product No. | Mineral Type | Weight | Application | | | | | | | Substrate | | | | | | |
|---------------------------------|----------------|------------------------|-----------|---------------|----------|----------------|----------|-----------|-----------|----------|------------|---------------|--------|------|-----------|-----------------|------------|
| | | | | Paint Removal | Blending | Primer Sanding | Cleaning | Polishing | Finishing | Gel Coat | Composites | Solid Surface | E-Coat | Wood | Aluminium | Stainless Steel | Mild Steel |
| Paper Sheets & Discs | | | | | | | | | | | | | | | | | |
| Premium | 732U | Precision Shaped Grain | C | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Advanced | 236U | Aluminium Oxide | C | | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| Good | 255P | Aluminium Oxide | C | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Good | 245P | Aluminium Oxide | E | ✓ | ✓ | | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ |
| Good | 255P+ | Aluminium Oxide | C | | ✓ | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Good | 310U | Aluminium Oxide | C | | | ✓ | | | ✓ | | ✓ | | ✓ | | | | |
| Film Discs | | | | | | | | | | | | | | | | | |
| Premium | 775L | Precision Shaped Grain | C | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Premium | 366L | Aluminium Oxide | 3 mil | | ✓ | ✓ | | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| Good | 268XA | Aluminium Oxide | 3 mil | | ✓ | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Surface Conditioning | | | | | | | | | | | | | | | | | |
| Premium | Clean & Finish | Aluminium Oxide | Non-Woven | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | |
| Premium | 577D | Aluminium Oxide | Non-Woven | | | | ✓ | ✓ | | | | | | ✓ | ✓ | | |
| Premium | 579D | Aluminium Oxide | Non-Woven | | | | | ✓ | | | | | | ✓ | ✓ | | |
| Premium | 581D | Aluminium Oxide | Non-Woven | | ✓ | ✓ | | | | | | | | ✓ | ✓ | | |

3M™ Random Orbital Sanders

- Experience the power of a complete finishing system by combining the 3M™ abrasives and accessories you've always trusted with the new line of 3M™ Tools, specifically designed to help get the job done more efficiently.
- 3M™ Air-Powered Random Orbital Sanders give you the power to maximize sanding performance for a smooth surface finish and minimize operational obstacles. Tools are packed with the horsepower to perform the way you need.
- Available in self generating vacuum, central vacuum and non vacuum variations.

The power lever on each sander is coded to indicate the orbit size of the sander



8mm Diameter Orbit for aggressive sanding



5mm Diameter Orbit for general purpose sanding



2.5mm Diameter Orbit for finer finish sanding



Film Discs

Angle Grinders

Sanders

Hand Sanding

Belt Machines

Die Grinders

Fillet Weld Grinders

Bench Motors

3M Air Tools

3M Accessories

Tapes & Adhesives

Paint Finishing

Safety

3M™ Cubitron™ II 775L Film Sanding Disc


3M Cubitron II Hookit Clean Sanding Film Disc 775L features 3M Precision Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “ploughing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast and lasts up to 6x as long as conventional abrasives. These discs are ideal for a broad range of applications focused primarily on stock removal, and are effective on a wide variety of substrates, including metals, composites, gelcoat, and whitewood. The film backing offers greater tear resistance than paper discs, for additional durability and edge retention. For best results, pair with 3M Elite Random Orbital Sanders.



| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|---------------|---------|---------------|
| 150 | 80+ | Clean Sand | 775L | 60440296212 |
| 150 | 120+ | Clean Sand | 775L | 60440296220 |
| 150 | 150+ | Clean Sand | 775L | 60440255796 |
| 150 | 180+ | Clean Sand | 775L | 60440255853 |
| 150 | 220+ | Clean Sand | 775L | 60440255911 |
| 150 | 240+ | Clean Sand | 775L | 60440335390 |
| 150 | 320+ | Clean Sand | 775L | 60440335234 |
| 150 | 400+ | Clean Sand | 775L | 60440347916 |
| 150 | 80+ | Plain No Hole | 775L | 60440296170 |
| 150 | 120+ | Plain No Hole | 775L | 60440296188 |
| 150 | 150+ | Plain No Hole | 775L | 60440298408 |
| 150 | 180+ | Plain No Hole | 775L | 60440298390 |
| 150 | 220+ | Plain No Hole | 775L | 60440298879 |
| 150 | 240+ | Plain No Hole | 775L | 60440335374 |
| 150 | 320+ | Plain No Hole | 775L | 60440335408 |
| 150 | 400+ | Plain No Hole | 775L | 60440347882 |

3M™ Hookit™ Microfinishing Film Discs (With Dust Extraction)

3M Hookit Microfinishing Film Disc 366L is rated Best in the 3M Microfinishing line of film backed discs. It features premium, micron-graded aluminium oxide abrasive bonded to a durable polyester film backing to produce a fast cut-rate and uniform finish on wood, solid surface composites, plastic, fibreglass, paint prep, coating and corrosion removal, primer, e-coat, or metal.



| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------|---------------|
| 150 | 15MIC | 6 Hole | 366L | AC019165524 |
| 150 | 20MIC | 6 Hole | 366L | AC019205189 |

Film Discs

3M™ Hookit™ Micro Finishing Film Discs - Dustless

3M Hookit Microfinishing Film Disc 366L is rated Best in the 3M Microfinishing line of film backed discs. It features premium, micron-graded aluminium oxide abrasive bonded to a durable polyester film backing to produce a fast cut-rate and uniform finish on wood, solid surface composites, plastic, fibreglass, paint prep, coating and corrosion removal, primer, e-coat, or metal. We gave these discs a load resistant coating to increase efficiency and product life by minimizing loading. The abrasive is resin-bonded and supports disc flexibility without sacrificing durability and reliable performance under high heat and pressure.



| Size (mm) | Grade | Dust Pattern | Colour | Product | Ordering Code |
|-----------|--------|--------------|--------|---------|---------------|
| 150 | 30MIC | 6 Hole | Green | 366L | 60200006298 |
| 150 | 60MIC | 6 Hole | Green | 366L | AC019208415 |
| 150 | 100MIC | 6 Hole | Green | 366L | AC019219339 |
| 286 | 60MIC | 6 Hole | Green | 366L | AC019293862 |
| 286 | 100MIC | 6 Hole | Green | 366L | AC019293888 |

3M™ Stikit™ Gold Film Discs (No Dust Extraction)

3M Gold Abrasives are the standard that shops have turned to for quality, performance and durability for over 25 years. Our Gold Abrasives are precision coated with high quality minerals and resins to deliver longer-lasting discs that cut through a variety of surfaces -including paint, primer, fibreglass, metal and SMC. 3M Gold Abrasives produce uniform, consistent finishes and are available in both Stikit and Hookit options for convenience and reuse. When job quality and productivity matter most, turn to the abrasives that shops have relied on year after year .



| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------|---------------|
| 150 | P400 | No Holes | 255L | 60010025611 |

3M™ Trizact™ Film Discs - Hookit™ II

Proprietary 3M Trizact abrasives start sharp and stay sharp, resulting in more predictable finishes and improved, consistent results. Creates high gloss level for glass defect repair and solid surface finishing. Micron sized abrasive pyramids produce a high-gloss finish. Well suited for use on mini random orbital sanders to produce a polish-ready finish. Produces finer finishes than paper and film-backed abrasives.



| Size (mm) | Grade | Colour | Product | Ordering Code |
|-----------|-------|--------|---------|---------------|
| 150 | A5 | Orange | 268XA | 60440227969 |
| 150 | A10 | Blue | 268XA | 60440227951 |
| 150 | A35 | Green | 268XA | 60440227944 |
| 150 | - | White | 568XA | 60440228017 |

Angle Grinders

Sanders

Hand Sanding

Belt Machines

Die Grinders

Fillet Weld Grinders

Bench Motors

3M Air Tools

3M Accessories

Tapes & Adhesives

Paint Finishing

Safety

Paper Discs

Angle Grinders

Sanders

Hand Sanding

Belt Machines

Die Grinders

Fillet Weld Grinders

Bench Motors

3M Air Tools

3M Accessories

Tapes & Adhesives

Paint Finishing

Safety

3M™ Cubitron™ II 732U Paper Sanding Disc

Our 3M Cubitron II Hookit Clean Sanding Paper Disc 732U features 3M Precision Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “ploughing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast and lasts up to 4x as long as conventional abrasives.

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|---------------|---------|---------------|
| 150 | 80+ | Clean Sand | 732U | 60440296493 |
| 150 | 120+ | Clean Sand | 732U | 60440296501 |
| 150 | 150+ | Clean Sand | 732U | 60440255820 |
| 150 | 180+ | Clean Sand | 732U | 60440255887 |
| 150 | 220+ | Clean Sand | 732U | 60440255945 |
| 150 | 80+ | Plain No Hole | 732U | 60440296410 |
| 150 | 120+ | Plain No Hole | 732U | 60440296428 |
| 150 | 150+ | Plain No Hole | 732U | 60440298614 |
| 150 | 180+ | Plain No Hole | 732U | 60440298622 |



3M™ Cubitron™ II Paper Disc 950U

The new 3M™ Cubitron™ II Hookit™ Paper Discs 950U are the ideal solution for removing paint, coatings and mill scale from galvanised steel, aluminium, fibreglass and other substrates that are prone to abrasive loading. Intended for use on flat surfaces, 950U discs feature an open coat construction that reduces loading and clogging – without the use of stearates, to reduce the risk of finish contamination. Combined with 3M™ Precision Shaped Grain technology, this gives you a fast-cutting disc that keeps on going – long after conventional abrasives have called it quits!

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------|---------------|
| 150 | 180+ | No Hole | 950U | XH003910276 |
| 150 | 150+ | No Hole | 950U | XH003911118 |
| 150 | 120+ | No Hole | 950U | XH003911209 |
| 150 | 80+ | No Hole | 950U | XH003911076 |
| 150 | 60+ | No Hole | 950U | XH003911050 |
| 150 | 180+ | Hole | 950U | XH003911738 |
| 150 | 150+ | Hole | 950U | XH003911936 |
| 150 | 120+ | Hole | 950U | XH003911779 |
| 150 | 80+ | Hole | 950U | XH003911969 |
| 150 | 60+ | Hole | 950U | XH003911225 |



3M™ Hookit™ Fre-Cut™ Gold Paper Discs

3M Hookit Disc 255P Gold is a C weight abrasive disc for general purpose lightweight sanding, General Purpose and Transportation, Sustained cutting action from aluminium oxide abrasive, and Anti-loading coating for extended working life and good results.

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------|---------------|
| 150 | P40 | 15 Hole | 245P | GC801018364 |
| 150 | P60 | 15 Hole | 245P | GC801018372 |
| 150 | P80 | 15 Hole | 255P | GC801018166 |
| 150 | P120 | 15 Hole | 255P | GC801018182 |
| 150 | P150 | 15 Hole | 255P | GC801018190 |
| 150 | P180 | 15 Hole | 255P | GC801018208 |
| 150 | P240 | 15 Hole | 255P | GC801018224 |
| 150 | P320 | 15 Hole | 255P | GC801018240 |
| 150 | P400 | 15 Hole | 255P | GC801018265 |
| 150 | P500 | 15 Hole | 255P | GC801018273 |
| 150 | P600 | 15 Hole | 255P | GC801018281 |
| 150 | P800 | 15 Hole | 255P | GC801045219 |




Paper Discs

3M™ Hookit™ Gold Paper Disc (With Dust Extraction)

The 3M Hookit Paper Disc 255P is an Aluminium Oxide abrasive with long life and sustained cutting action. It features an anti-loading coating to extend product working life. Suitable for intermediate and final sanding of metal, solid and painted surfaced in addition to varnished surfaces and plastic parts.

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------|---------------|
| 203 | P120C | 8 Hole | 255P+ | GC800487867 |
| 203 | P180 | 8 Hole | 255P+ | GC800487842 |
| 203 | P320 | 8 Hole | 255P+ | GC800487966 |



3M™ Hookit™ Gold Paper Disc (No Dust Extraction)

The 3M Hookit Paper Disc 255P is an Aluminium Oxide abrasive with long life and sustained cutting action. It features an anti-loading coating to extend product working life. Suitable for intermediate and final sanding of metal, solid and painted surfaced in addition to varnished surfaces and plastic parts.

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------|---------------|
| 150 | P80 | No Holes | 255P+ | GC800504828 |
| 150 | P120 | No Holes | 255P+ | GC800504802 |
| 150 | P150 | No Holes | 255P+ | GC800504794 |
| 150 | P180 | No Holes | 255P+ | GC800504786 |
| 150 | P240 | No Holes | 255P+ | GC800504760 |
| 150 | P320 | No Holes | 255P+ | GC800504745 |
| 150 | P400 | No Holes | 255P+ | GC800504729 |
| 150 | P500 | No Holes | 255P+ | GC800504711 |



3M™ Stikit™ Paper Disc - Plain

Ideal for intermediate and final sanding on lacquered hard and soft woods, paints, solid surface materials and plastics.

| Size (mm) | Grade | Product | Ordering Code |
|-----------|---------|---------|---------------|
| 150 | P80 OP | 310U | GC801069045 |
| 150 | P120 OP | 310U | GC801069078 |
| 150 | P180 OP | 310U | GC801069383 |
| 150 | P320 OP | 310U | GC801069359 |



Paper Sheets

3M™ Stikit™ Sheets - Plain

Ideal for intermediate and final sanding on lacquered hard and soft woods, paints, solid surface materials and plastics.

| Size (mm) | Grade | Product | Ordering Code |
|-----------|----------|---------|---------------|
| 115 × 250 | P80 OP | 310U | GC801069094 |
| 115 × 250 | P180C OP | 310U | GC801069417 |



Angle Grinders

Sanders

Hand Sanding

Belt Machines

Die Grinders

Fillet Weld Grinders

Bench Motors

Air Tools

Accessories

Tapes & Adhesives

Paint Finishing

Safety

Paper Sheets

3M™ Hookit™ Gold Paper Sheets

The 3M Hookit Paper Sheet 255P is an Aluminium Oxide abrasive with long life and sustained cutting action. It features an anti-loading coating to extend product working life. Suitable for intermediate and final sanding of metal, solid and painted surfaced in addition to varnished surfaces and plastic parts.

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|----------|--------------|---------|---------------|
| 70 × 419 | P80 | 14 Holes | 255P | GC800454719 |
| 70 × 419 | P120 | 14 Holes | 255P | GC800454701 |
| 70 × 419 | P240 | 14 Holes | 255P | GC800494541 |
| 115 × 225 | P80C OP | 10 Holes | 255P | GC800454842 |
| 115 × 225 | P120C OP | 10 Holes | 255P | GC800454834 |
| 115 × 225 | P180C OP | 10 Holes | 255P | GC800492578 |



3M™ Hookit™ Paper Sheet 255P

The 3M Hookit Paper Sheet 255P is an Aluminium Oxide abrasive with long life and sustained cutting action. It features an anti-loading coating to extend product working life. Suitable for intermediate and final sanding of metal, solid and painted surfaced in addition to varnished surfaces and plastic parts.

| Size (mm) | Grade | Product | Ordering Code |
|-----------|---------|---------|---------------|
| 70 × 460 | P40 | 255P | GC800746221 |
| 70 × 460 | P60 | 255P | GC800746213 |
| 70 × 460 | P80 | 255P | GC800746205 |
| 115 × 280 | P80C OP | 255P | AC010595190 |
| 230 × 280 | P80C OP | 255P | GC801023745 |

Production™ Fre-Cut™ Paper Sheets

Use for fine finishing on timber, primers and painted surfaces. It features a high performance aluminium oxide mineral on a C weight paper backing. An anti loading treatment has been applied to extend the working life of the product.

| Size (mm) | Grade | Product | Ordering Code |
|---------------|----------|---------|---------------|
| 230mm x 280mm | P80C OP | 255P+ | GC801023745 |
| 230mm x 280mm | P100C OP | 255P+ | GC800731827 |
| 230mm x 280mm | P120C OP | 255P+ | GC800731777 |
| 230mm x 280mm | P150C OP | 255P+ | GC801023778 |
| 230mm x 280mm | P180C OP | 255P+ | GC801023786 |
| 230mm x 280mm | P220C OP | 255P+ | GC801023794 |
| 230mm x 280mm | P240C OP | 255P+ | GC801023802 |
| 230mm x 280mm | P280C OP | 255P+ | GC801023810 |
| 230mm x 280mm | P320C OP | 255P+ | GC801023828 |
| 230mm x 280mm | P400C OP | 255P+ | GC801023844 |



Paper Sheets

3M™ Wetordry™ Paper Sheets

Sanding hard primer coats, especially on two-pack acrylic lacquers. Filler-coated surfaces and/or intermediate lacquer coats prior to final lacquering. It features a high performance aluminium oxide paper & Water-resistant flexible backing.



| Size (mm) | Grade | Product | Ordering Code |
|---------------|--------|---------|---------------|
| 230mm x 280mm | P320A | 314 | GC223140143 |
| 230mm x 280mm | P400A | 314 | GC223140127 |
| 230mm x 280mm | P600A | 314 | GC223140101 |
| 230mm x 280mm | P800A | 314 | GC223140093 |
| 230mm x 280mm | P1200A | 314 | GC223140077 |

3M™ Wetordry™ Paper Sheets

Flexible and conformable water resistant paper backing for easier handling. Sharp, abrasive Silicone Carbide mineral ensures long product life and good surface quality. Use wet or dry.



| Size (mm) | Grade | Product | Ordering Code |
|---------------|--------|---------|---------------|
| 230mm x 280mm | P80A | 734 | GC800316512 |
| 230mm x 280mm | P120A | 734 | GC800316496 |
| 230mm x 280mm | P180A | 734 | GC800316470 |
| 230mm x 280mm | P220A | 734 | GC074316016 |
| 230mm x 280mm | P240A | 734 | GC074317014 |
| 230mm x 280mm | P320A | 734 | GC074319010 |
| 230mm x 280mm | P400A | 734 | GC074324010 |
| 230mm x 280mm | P600A | 734 | GC074326015 |
| 230mm x 280mm | P800A | 734 | GC074327013 |
| 230mm x 280mm | P1000A | 734 | GC074390011 |
| 230mm x 280mm | P1200A | 734 | GC074391019 |



Angle Grinders

Sanders

Hand Sanding

Belt Machines

Die Grinders

Fillet Weld Grinders

Bench Motors

3M Air Tools

3M Accessories

Tapes & Adhesives

Paint Finishing

Safety

Paper Rolls

3M™ Gold Paper Roll

The 3M Paper 255P is an Aluminium Oxide abrasive with long life and sustained cutting action. It features an anti-loading coating to extend product working life. Suitable for intermediate and final sanding of metal, solid and painted surfaced in addition to varnished surfaces and plastic parts.

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------|---------------|
| 70 × 50 | P80C | No Holes | 255P | AC010594904 |
| 70 × 50 | P120C | No Holes | 255P | GC800745835 |
| 115 × 50 | P40C | No Holes | 255P | GC801024032 |
| 115 × 50 | P60C | No Holes | 255P | GC801024040 |
| 115 × 50 | P120C | No Holes | 255P | GC800734110 |
| 115 × 50 | P150C | No Holes | 255P | GC801023943 |
| 115 × 50 | P180C | No Holes | 255P | GC801023950 |
| 115 × 50 | P240C | No Holes | 255P | GC801023976 |
| 115 × 50 | P320C | No Holes | 255P | GC801023992 |



3M™ Hookit™ Gold Paper Roll

3M Hookit Abrasive Roll 255P uses an aluminium oxide mineral with a heavy paper backing. Sold in rolls for cutting and attaching to machines. Incorporates a load resistant coating which extends work life.

| Size (mm) | Grade | Dust Pattern | Product | Ordering Code |
|-----------|-------|--------------|---------------|---------------|
| 70 × 25 | P40 | No Holes | 245 - E wgt | GC800738442 |
| 70 × 25 | P80 | No Holes | 255P+ - C wgt | GC800738467 |
| 70 × 25 | P120 | No Holes | 255P+ - C wgt | GC800738400 |
| 75 × 25 | P240 | No Holes | 255P+ - C wgt | GC800966365 |
| 115 × 25 | P40 | No Holes | 245 - E wgt | GC800633866 |
| 115 × 25 | P60 | No Holes | 255P+ - C wgt | GC800594860 |
| 115 × 25 | P80 | No Holes | 255P+ - C wgt | AC010574310 |
| 115 × 25 | P150 | No Holes | 255P+ - C wgt | GC800966449 |
| 115 × 25 | P180 | No Holes | 255P+ - C wgt | GC800966431 |
| 115 × 25 | P240 | No Holes | 255P+ - C wgt | GC800966423 |
| 115 × 25 | P320 | No Holes | 255P+ - C wgt | GC800966415 |



Hook & Loop

3M™ Scotch-Brite™ Clean and Finish Disc

Our Scotch-Brite Clean and Finish Disc gets into hard-to-reach areas and also work well for finishing, paint preparation, surface blending, and scuffing applications and also works well for contour finishing and lacquer sanding. These discs are flexible, making them effective for getting into hard-to-reach areas and producing uniform finishes. The abrasive mineral effectively blends, finishes, and polishes metals, composites, and advanced surfaces and is an effective abrasive tool for paint prep, scuffing, and light corrosion removal. The disc runs cool and resists loading to continuously provide consistent conditioning properties throughout the life of the product.



| Size (mm) | Grade | Colour | Max RPM | Ordering Code |
|-----------|-------|--------|---------|---------------|
| 150 | A VFN | Maroon | 4,000 | AN019225083 |
| 150 | S ULF | Grey | 4,000 | 61500118148 |
| 286 | S ULF | Gray | 1,900 | 61500189768 |

In-line Sanders

3M™ Scotch-Brite™ Mini Clean and Strip Flap Brush

For use with an inline sander, the Scotch-Brite Mini Clean and Strip Flap Brushes are impregnated with aluminium oxide abrasive mineral and bonded to a fibre core. The three dimensional Scotch-Brite web produces consistent, repeatable results without damaging the workpiece. The flexible flap construction is soft and pliable to produce uniform surface finishes without chatter marks.



| Size (mm) | Grade | Colour | Max. RPM | Product | Ordering Code |
|----------------|-------|--------|----------|---------|---------------|
| 100 × 100 × 19 | A CRS | Black | 4,000 | 577D | KB979001207 |

3M™ Scotch-Brite™ Mini Clean and Finish Flap Brush

For use with an inline sander, the Scotch-Brite Mini Clean and Finish Flap Brush is an aluminium oxide abrasive bonded to a fibre core. The three dimensional Scotch-Brite web produces consistent, repeatable results without damaging the workpiece. Flexible flap construction is soft and pliable to produce uniform surface finishes without chatter marks.

| Size (mm) | Grade | Colour | Max. RPM | Product | Ordering Code |
|----------------|-------------|--------|----------|---------|---------------|
| 100 × 100 × 19 | S MED | Grey | 4,000 | 579D | KB979001181 |
| 100 × 100 × 19 | P80 / S MED | Grey | 4,000 | 581D | KB979001140 |

Angle Grinders

Sanders

Hand Sanding

Belt Machines

Die Grinders

Fillet Weld Grinders

Bench Motors

3M Air Tools

3M Accessories

Tapes & Adhesives

Paint Finishing

Safety