

22MM 2 MODE SDS PLUS HAMMER

D25032B

Power Input	710W
Max. Impact Energy	2.1 J
Impact Energy (EPTA 05/2009)	2.0 J
No Load Speed	0-1550 rpm
Blows Per Minute	0-5680 bpm
Optimum Drilling Capacity [Concrete]	4-12 mm
Max. Drilling Capacity [Concrete]	22 mm
Max. Drilling Capacity [Core bit/Wood/Metal]	50/30/13 mm
Operation Mode	Rotation/Hammering with rotation
Weight	2.5 kg
Length x Height	330 x 210 mm
Vibration Level	13.6 m/s ²



22MM 3 MODE SDS PLUS HAMMER

D25033K

Power Input	710W
Max. Impact Energy	2.1 J
Impact Energy (EPTA 05/2009)	2.0 J
No Load Speed	0-1550 rpm
Blows Per Minute	0-5680 bpm
Optimum Drilling Capacity [Concrete]	4-12 mm
Max. Drilling Capacity [Concrete]	22 mm
Max. Drilling Capacity [Core bit/Wood/Metal]	50/30/13 mm
Operation Mode	Hammering/Rotation/Hammering with rotation
Weight	2.5 kg
Length x Height	330 x 210 mm
Vibration Level	13.6 m/s ²



26MM 3 MODE COMBINATION HAMMER, 2 KGS

D25133K

Power Input	800W
Max. Impact Energy	2.8 J
Impact Energy (EPTA 05/2009)	2.6 J
No Load Speed	0-1500 rpm
Blows Per Minute	0-5500 bpm
Optimum Drilling Capacity [Concrete]	4-14 mm
Max. Drilling Capacity [Concrete]	26 mm
Max. Drilling Capacity [Core bit/Wood/Metal]	50/30/13 mm
Operation Mode	Hammering/Rotation/Hammering with rotation
Weight	2.6 kg
Length x Height	335 x 210 mm
Vibration Level	15.4 m/s ²



28MM 3 MODE SDS PLUS COMBINATION HAMMER, 2 KGS

D25143K

Power Input	900W
Max. Impact Energy	3.2 J
Impact Energy (EPTA 05/2009)	3.0 J
No Load Speed	0-1450 rpm
Blows Per Minute	0-5350 bpm
Optimum Drilling Capacity [Concrete]	4-18 mm
Max. Drilling Capacity [Concrete]	28 mm
Max. Drilling Capacity [Core bit/Wood/Metal]	65/30/13 mm
Operation Mode	Hammering/Rotation/ Hammering with rotation
Weight	3.0 kg
Length x Height	340 x 210 mm
Vibration Level	14.9 m/s ²



30MM 3 MODE SDS PLUS COMBINATION HAMMER, 3KGS

D25333K

Power Input	950W
Max. Impact Energy	4.2 J
Impact Energy (EPTA 05/2009)	3.5 J
No Load Speed	0-1150 rpm
Blows Per Minute	0-5200 bpm
Optimum Drilling Capacity [Concrete]	6-20 mm
Max. Drilling Capacity [Concrete]	30 mm
Max. Drilling Capacity [Core bit/Wood/Metal]	65/30/13 mm
Operation Mode	Hammering/Rotation/ Hammering with rotation
Weight	3.7 kg
Length x Height	355 x 250 mm
Vibration Level	6.9 m/s ²



32MM 3 MODE SDS PLUS COMBINATION HAMMER, 4KGS

D25413K

Power Input	1000W
Max. Impact Energy	4.9 J
Impact Energy (EPTA 05/2009)	4.2 J
No Load Speed	0-820 rpm
Blows Per Minute	0-4700 bpm
Optimum Drilling Capacity [Concrete]	6-22 mm
Max. Drilling Capacity [Concrete]	32 mm
Max. Drilling Capacity [Core bit/Wood/Metal]	100/32/13 mm
Operation Mode	Hammering/Rotation/ Hammering with rotation
Weight	4.2 kg
Length x Height	370 x 250 mm
Vibration Level	8.2 m/s ²



40MM SDS MAX COMBINATION HAMMER, 5 KGS

D25481K

Power Input	1050W
Max. Impact Energy	7.3 J
Impact Energy (EPTA 05/2009)	6.1 J
No Load Speed	540 rpm
Blows Per Minute	3150 bpm
Optimum Drilling Capacity [Concrete]	16-30 mm
Max. Drilling Capacity [Concrete]	40 mm
Max. Drilling Capacity [Core bit]	100 mm
Operation Mode	Hammering/Rotation/ Hammering with rotation
Weight	5.9 kg
Length x Height	453 x 263 mm
Vibration Level	9.4 m/s ²



45MM SDS MAX COMBINATION HAMMER, 6 KGS

D25614K

Voltage	220-240 V
Frequency	50-60 Hz
No Load Speed	190-380 min-1
No-Load Beats Per Minute	1450-2900 bpm
Power Input	1350 W
Single Impact Energy (EPTA 05/2009)	10.5 J
Optimum Drilling Range Into Concrete	16-32 mm
Maximum Drilling Range In Concrete	45 mm
Maximum Core Drilling Range In Concrete	125 mm
Tool Holder	sds max
Weight	7.8 Kg



48MM SDS MAX HAMMER WITH ANTI ROTATION, 8 KGS

D25733K

Power Output	1600W
Max. Impact Energy	15.7 J
Impact Energy (EPTA 05/2009)	13.3 J
No Load Speed	177-355 rpm
Blows Per Minute	1350-2707 bpm
Optimum Drilling Capacity [Concrete]	24-42 mm
Max. Drilling Capacity [Concrete]	48 mm
Max. Drilling Capacity [Core bit]	125 mm
Operation Mode	Hammering/Hammering with rotation
Weight	9.2 kg
Length x Height	544 x 292 mm
Vibration Level	9.6 m/s ²



52MM SDS MAX HAMMER WITH ANTI ROTATION, 10 KGS

D25773K

Power Output	1700W
Max. Impact Energy	22.7 J
Impact Energy (EPTA 05/2009)	19.4 J
No Load Speed	145-290 rpm
Blows Per Minute	1105-2210 bpm
Optimum Drilling Capacity [Concrete]	28-45 mm
Max. Drilling Capacity [Concrete]	52 mm
Max. Drilling Capacity [Core bit]	135 mm
Operation Mode	Hammering/Hammering with rotation
Weight	10.5 kg
Length x Height	591 x 292 mm
Vibration Level	12.4 m/s ²



5KG SDS-MAX CHIPPING HAMMER

D25810K

Power Output	1050W
Max. Impact Energy	8.5 J
Impact Energy (EPTA 05/2009)	7.1 J
Blows Per Minute	3150 bpm
Chisel Positions	18
Weight	5.6 kg
Length x Height	462 mm x 263 mm
Vibration Level	8.5 m/s ²



5KG 17MM HEX CHIPPING HAMMER

D25811K

Power Output	1100W
Max. Impact Energy	8.5 J
Impact Energy (EPTA 05/2009)	7.1 J
Blows Per Minute	3150 bpm
Chisel Positions	18
Weight	5.7 kg
Length x Height	477 mm x 263 mm
Vibration Level	8.5 m/s ²



1700W 10KG L SHAPED DEMOLITION HAMMER

D25893K

Power Output	1700W
Max. Impact Energy	22.7 J
Impact Energy (EPTA 05/2009)	19.4 J
Blows Per Minute	1105-2211 bpm
Chisel Positions	12
Weight	10 kg
Length x Height	591 mm x 292 mm
Vibration Level	13.5 m/s ²



1500W 10KG SDS MAX DEMOLITION HAMMER, IN-LINE

D25899K

Power Output	1500W
Max. Impact Energy	19.5 J
Impact Energy (EPTA 05/2009)	17.9 J
Blows Per Minute	2040 bpm
Chisel Positions	12
Weight	9.5 kg
Length x Height	650 mm x 250 mm
Vibration Level	12.0 m/s ²



1500W 10KG SDS MAX DEMOLITION HAMMER, IN-LINE

D25901K

Power Input	1500W
Max. Impact Energy	20.7 J
Impact Energy (EPTA 05/2009)	19 J
Blows Per Minute	1020 - 2040 bpm
Chisel Positions	12
Weight	10.9 kg
Length x Height	690 x 250 mm
Vibration Level	8.0 m/s ²



1600W 12KG SDS MAX DEMOLITION HAMMER

D25951K

Power Output	1600W
Max. Impact Energy	30.1 J
Impact Energy (EPTA 05/2009)	24 J
Blows Per Minute	1621 bpm
Chisel Positions	12
Weight	13.6 kg
Length x Height	750 mm x 250 mm
Vibration Level	8.8 m/s ²



1600W 16KG DEMOLITION HAMMER

D25961K


Power Output	1600W
Max. Impact Energy	38 J
Impact Energy (EPTA 05/2009)	35 J
Blows Per Minute	1450 bpm
Chisel Positions	12
Weight	16.9 kg
Length x Height	760 mm x 260 mm
Vibration Level	6.8 m/s ²



2100W 30KG DEMOLITION BREAKER

D25981K

Power Output	2100W
Max. Impact Energy	72 J
Impact Energy (EPTA 05/2009)	62 J
Blows Per Minute	960 bpm
Chisel Positions	12
Weight	31 kg
Length x Height	780 mm x 620 mm
Vibration Level	4.8 m/s ²



1270W 110MM TILE SAW

DW862

Power Input	1270W
Blade Diameter	110 mm
Blade Bore Diameter	20 mm
No Load Speed	13500 rpm
Depth of Cut at 90°	34 mm
Weight	3.0 kg
Length x Height	252 x 166 mm



1700W 430MM ALLIGATOR SAW

DWE397

Power Input	1700W
No Load Stroke Rate	3000 spm
Stroke Length	40 mm
Blade Length	430 mm
Blade Stop	0.2s
Weight	5.5 kg
Length x Height	918 x 219 mm



2500W 3 SPEED WET DRILLING MOTOR

D21585

Power Input	2500W
Spindle Thread	1 1/4" Male UNC
No Load Speed	0-500/0-1200/0-2000 rpm
Max. Drilling Capacity [Concrete]	250 mm (wet)
Max. Drilling Capacity [Masonry]	300 mm
Weight	11.2 kg
Length x Height	570 x 160 mm

