

**150MM 373W BENCH GRINDER****DW752R**

Power Input	373W
No Load Speed	2950 rpm
Wheel Diameter	152 mm
Wheel Thickness	15-17 mm
Bore Diameter	12.7-12.9
Grinder Wheel Speed	35m/s
Weight	13.8 kg
Length x Height	310 x 215 mm

**254MM COMPOUND MITRE SAW + 80T ALU BLADE****DW714**

Power Input	1650W
Blade Speed	4600 rpm
Blade Diameter	250 mm
Blade Bore Diameter	30 mm
Bevel Capacity	48/0 °
Mitre Capacity [right/left]	52/47 °
Cutting Capacity at 90°/90° (W x H)	130 x 68 mm
Cutting Capacity at 90°/45° (W x H)	130 x 40 mm
Cutting Capacity at 45°/90° (W x H)	91 x 68 mm
Max. Cutting Capacity at 45°/45°	91 x 40 mm
Max. Depth of Cut [Saws]	89 mm
Weight	13.1 kg
Length x Height	600 x 425 mm

**305MM 1600W SINGLE BEVEL MITRE SAW****DWS715**

Power Input	1600W
Blade Speed	4000 rpm
Blade Diameter	305 mm
Blade Bore Diameter	25.4 mm
Bevel Capacity	48/-3 °
Mitre Capacity [right/left]	50 / 50 °
Cutting Capacity at 90°/90° (W x H)	203 x 72 mm
Cutting Capacity at 90°/45° (W x H)	203 x 47 mm
Cutting Capacity at 45°/90° (W x H)	142 x 72 mm
Max. Cutting Capacity at 45°/45°	142 x 47 mm
Max. Depth of Cut [Saws]	99 mm
Weight	19 kg
Length x Height	770 x 396 mm



**305MM 1675W SLIDE MITRE SAW - WITH VARIABLE SPEED****DWS780**

Power Input	1675W
Blade Speed	1900 - 3800 rpm
Blade Diameter	305 mm
Blade Bore Diameter	30 mm
Bevel Capacity	49°
Mitre Capacity [right/left]	60 / 50°
Cutting Capacity at 90°/90° (W x H)	345 x 76 mm
Cutting Capacity at 90°/45° (W x H)	244 x 76 mm
Cutting Capacity at 45°/90° (W x H)	268 x 63 mm
Max. Cutting Capacity at 45°/45°	212 x 76 mm
Max. Depth of Cut [Saws]	170 mm
Weight	24.8 kg
Length x Height	770 x 396 mm

**650W JIGSAW****DWE349**

Power Input	650 W
No Load Stroke Rate	800-3100 spm
Stroke Length	20 mm
Bevel Capacity	45 deg
Max. Depth of Cut (Wood)	85 mm
Max. Depth of Cut (Steel)	10 mm
Max. Depth of Cut (Non Ferrous Metal)	20 mm
Keyless Blade Change	Yes
Weight	3 kg
Length x Height	230 X 200 mm

**701W TOP HANDLE JIGSAW****DW331K**

Power Input	701W
No Load Stroke Rate	0-3100 spm
Stroke Length	26 mm
Bevel Capacity	45 °
Max. Depth of Cut (Wood)	130 mm
Max. Depth of Cut (Steel)	12 mm
Max. Depth of Cut (Non Ferrous Metal)	30 mm
Keyless Blade Change	Yes
Weight	2.6 kg
Length x Height	250 x 210 mm



**1200W 185MM COMPACT CIRCULAR SAW****DWE561A**

Voltage	220-240 V
Type	1
Power Input	1200 W
No-Load Speed	5500 min-1
Blade Diameter	184 mm
Max. Depth Of Cut At 90°	65 mm
Max. Depth Of Cut At 45°	42 mm
Blade Bore	20 mm
Bevel Angle Adjustment	8°
Weight	3.6 kg

**1350W 184MM COMPACT CIRCULAR SAW****DWE560B**

Power Input	1350W
No Load Speed	5500 rpm
Blade Diameter	184 mm
Blade Bore Diameter	16 mm
Bevel Capacity	48°
Max. Depth of Cut at 90°	65 mm
Max. Depth of Cut at 45°	42 mm
Weight	3.7 kg
Length x Height	286 x 226 mm

**1/4" SHEET ORBITAL SANDER****DWE6411**

Power Input	280W
Orbits Per Minute	14,000 opm
Orbit Size	1.6 mm
Paper Size	140 x 115 mm
Pad Size	108 x 115 mm
Weight	1.28 kg
Length x Height	160 x 135 mm



**125MM RANDOM ORBIT PALM SANDER****DWE6421**

Power	280 W
DrlllVmin.	12000 opm
Dust Sealed Switch	Yes
Dust Collection	Tes
Tool Height	140mm
Weight	1.3 kg
Length x Height	

**900W 8MM (1/4") VARIABLE SPEED PLUNGE ROUTER****D26203**

Power Input	900W
No Load Speed	16000-27000 rpm
Variable Speed	Yes
Collet Size	6-8 mm
Plunge Stroke/Movement	55 mm
Max. Cutter Diameter	30 mm
Weight	2.9 kg
Length x Height	110 x 270 mm

